TECHNICAL SPECIFICATION



EVO®2 Mid Peak OneTouch™ Slip Ratchet Vented

Blue / AJF030-000-500



DESCRIPTION

The EVO®2 Comfort Plus helmet combines a super strong shell for superior all day protection in the widest range of environments, with the comfort benefits of the new Evolution® 3D Adjustment™ harness system. EVO®2 is a true evolution of the long-established MK®2 and MK®3 helmets. The EVO®2 retains the JSP signature styling while incorporating developments first seen in the EVO®8. Packed full of the latest protection technology and features.

OPTIONS

Black (AJF030-001-100)

Blue (AJF030-000-500)

Green (AJF030-000-300)

Grey - AJF030-000-400 - Made To Order Min 240 units (AJF030-000-400)

Orange (AJF030-000-800)

Pink (AJF030-003-900)

Red (AJF030-000-600)

White (AJF030-000-100)

Yellow (AJF030-000-200)

SAFETY STANDARDS

EN 397







Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com







SPECIFICATIONS



Peak Mid



Resistance to Molten Metals and Hot Solids (optional) Yes



Minimum Temperature





Recyclable Shell



Depth Adjustment 3D Harness



Universal Accessories Slot

Yes



BSI Kitemark Yes



ID card holder Optional



Product Weight

402g



Impact Resistance 50 Joules



Maximum Temperature

+50°C



HDPE Shell Yes



LDPE Harness

Yes



Slip Ratchet Slip



Ventilation

Yes



Reflective Option Optional



JSPCheck

Yes



Size 53-64cm

FEATURES



Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. The OneTouch™ slip ratchet makes it simple to tighten to the perfect fit.



CR2 Reflective

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility/reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



Supreme Comfort

A traditional 6-point polyethylene harness making the EVO®2 the more economical choice, whilst still providing the same high performance as the EVO®3.



Ventilation Option

Vented shell to increase comfort and allow cooling air flow, reducing helmet temperatures by an average 2-3 degrees Celsius.



3D Adjustment

The polyethylene harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



Accessories

Universal attachment slot enables firm fitting of a range of safety visors and ear defenders.



JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.

LOGO





✓ Back





JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

 $Do \ Not \ Publish \ without \ written \ permission \ from \ JSP \ Limited. \ Contact \ copyright@jspsafety.com. \ Information \ correct in the \ United \ Kingdom \ at \ Not \ Publish \ without \ written \ permission \ from \ JSP \ Limited.$ date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

RANGE









VIDEOS DOWNLOADS

www.youtube.com/watch?v=n9qrN2U0LFk

Image Pack (ZIP)

doc-invincible-evo2.pdf (PDF)













