

# EVOLite® Badge Mid Peak Wheel Vented

Green / AJB173-400-300



#### DESCRIPTION

EVOLite® safety helmet with a clear plastic ID card holder that fits standard business card size identification. Simple push and slide mechanism. A lamp bracket can be positioned at the top of the unit.

#### OPTIONS

Blue (AJB173-400-500) **Green (AJB173-400-300)** Orange (AJB173-400-800) Red (AJB173-400-600) White (AJB173-400-100) Yellow (AJB173-400-200)

#### SAFETY STANDARDS

EN 397



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.



SPECIFICATIONS				
	Peak Mid		Impact Resistance 50 Joules	
+	Lateral Deformation Yes		Resistance to Molten Metals and Hot Solids Helmets (optional) Yes	
*	Maximum Temperature +50°C		Minimum Temperature -40°C	
ABS	ABS Shell Yes	₹\$¢	Recyclable Shell	
- <u> +</u>  - - + -	Textile Harness	3D)	Depth Adjustment 3D Harness	
<u> </u>	Wheel Ratchet Yes		Universal Accessories Slot <b>Yes</b>	
	Ventilation Yes	€££	Reflective Option Optional	
$\bigcirc$	Integrated Eyewear Optional		ID card holder Fitted	
() bsi bsi	BSI Kitemark Yes		Optional 2 point chinstrap (EN397 & EN 812 compliant) Optional	
	Optional 4 point chinstrap (EN397 Compliant) Optional	₹	JSPCheck Yes	
	Product Weight 341g	¢	Size 53-64cm	

#### FEATURES



# Supreme Comfort

A 6-point textile cradle harness system & Chamlon<sup>™</sup> cotton sweatband offer unrivalled comfort.



# Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. Available with either the Revolution® wheel ratchet or the OneTouch<sup>™</sup> slip ratchet.



# Accessories

A universal attachment slot enables firm fitting of a range of Surefit<sup>™</sup> safety visors, and ear defenders. EVOSpec® Integrated eyewear is also available.



# ID Card Holder

Clear plastic ID card holder that fits standard business card size identification. Simple push and slide mechanism. A lamp bracket can be positioned at the top of the unit.



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.





# **3D Adjustment**

The textile harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.

# CR2™ Reflective

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility / reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



# JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.

#### APPLICATIONS

General guidance only and should not be considered a substitute for a full risk assessment

Aerospace	Agricultural		
Airports	Construction and Infrastructure		
Facilities Management	Food and Drink Manufacturing		
Hospitals, Healthcare & Pharmaceuticals	Manufacturing		
Maritime	Transportation, Warehousing & Logistics		
Utilities Contractors			

#### LOGO

Back

Sides



RANGE

#### DOWNLOADS

Image Pack (ZIP)

doc-invincible-evolite.pdf (PDF)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

