

# TECHNICAL SPECIFICATION



## EVO®2 Mid Peak OneTouch™ Slip Ratchet Non Vented

Red / AJE030-000-600



### DESCRIPTION

The EVO®2 Comfort Plus helmet combines a super strong shell for superior all day protection in the widest range of environments, with the comfort benefits of the new Evolution® 3D Adjustment™ harness system. EVO®2 is a true evolution of the long-established MK®2 and MK®3 helmets. The EVO®2 retains the JSP signature styling while incorporating developments first seen in the EVO®8. Packed full of the latest protection technology and features.

### OPTIONS

Black (AJE030-001-100)  
Blue (AJE030-000-500)  
Green (AJE030-000-300)  
Grey (AJE030-000-400)  
Orange (AJE030-000-800)  
**Red (AJE030-000-600)**  
White (AJE030-000-100)  
Yellow (AJE030-000-200)

### SAFETY STANDARDS

EN 397 • EN 50365



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.





















Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 22 Dec 2024 / Copyright 2018 - 2024, JSP Limited. All Rights Reserved.



## SPECIFICATIONS

|  |  |
|--|--|
|  Impact Resistance<br>50 Joules          |  EN 50365 ELECTRICAL INSULATION<br>1000V                              |
|  EN 50365 ELECTRICAL INSULATION<br>440 V |  Resistance to Molten Metals and Hot Solids Helmets (optional)<br>Yes |
|  Maximum Temperature<br>+50°C            |  Minimum Temperature<br>-30°C   |
|  HDPE Shell<br>Yes                       |  Recyclable Shell   |
|  LDPE Harness<br>Yes                     |  Depth Adjustment<br>3D Harness                                       |
|  Slip Ratchet<br>Slip                    |  Peak<br>Mid  |
|  Universal Accessories Slot<br>Yes       |  Ventilation<br>No  |
|  BSI Kitemark<br>Yes                     |  Reflective Option<br>Yes   |
|  ID card holder<br>Optional              |  JSPCheck<br>Yes  |
|  Product Weight<br>402g                 |  Size<br>53-64cm   |

## FEATURES



### Firmer Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. The OneTouch™ slip ratchet makes it simple to tighten to the perfect fit.



### CR2 Reflective

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility/reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



### Supreme Comfort

A traditional 6-point polyethylene harness making the EVO®2 the more economical choice, whilst still providing the same high performance as the EVO®3.



### 3D Adjustment

The polyethylene harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



### Accessories

Universal attachment slot enables firm fitting of a range of safety visors and ear defenders.



### JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.

## APPLICATIONS

General guidance only and should not be considered a substitute for a full risk assessment

Agricultural

Airports

Construction and Infrastructure

Maritime



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 22 Dec 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.



LOGO

- Front
- Back
- Sides

RANGE



VIDEOS

[www.youtube.com/watch?v=PmDMMktdotQ](http://www.youtube.com/watch?v=PmDMMktdotQ)

DOWNLOADS

- [Image Pack \(ZIP\)](#)
- [doc-invincible-evo2.pdf \(PDF\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jssafety.com / Web: www.jssafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jssafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 22 Dec 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.

