

# TECHNICAL SPECIFICATION



## Jetstream® Industrial Kits

Jetstream® TH2A2P R SL Industrial Kit / CDP030-201-300



### DESCRIPTION

Jetstream® is a belt-mounted rechargeable respirator with a large capacity reusable filter supplying filtered air through a highly flexible reinforced hose to a variety of head tops for different applications.

The Jetstream® Industrial Kit carry case contains:

Grinding visor head top

Flexible hose

TH2P R SL dust or TH2A2 P R SL gas and dust filters

Flow meter

Rechargeable battery

Multi-region plug adaptor

### OPTIONS

Jetstream® TH2P R SL Industrial Kit (CBP030-001-300)

**Jetstream® TH2A2P R SL Industrial Kit  
(CDP030-201-300)**

### SAFETY STANDARDS

EN 166 • EN 12941



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jspsafety.com](mailto:sales@jspsafety.com) / Web: [www.jspsafety.com](http://www.jspsafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jspsafety.com](mailto:copyright@jspsafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 2 Aug 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.



## SPECIFICATIONS



Manufacturer's Trademark  
**JSP Dagger**



Medium Energy Impact resists a 6 mm, 0.86g ball @ 120 m/s Maximum protection for goggles.  
**B**



Resistance to Molten Metals and Hot Solids (optional)  
**9**

Classification  
**TH2 (Turbo Hood)**

Minimum Filtration Efficiency  
**98%**

Nominal Protection Factor  
**50**

Face Seal Type  
**Hypoallergenic Material**

Latex free  
**No**

Battery Type  
**8 Hour Rechargeable Nickel Metal Hydride (NiMH)**

Noise Level  
**65dB**



Filter Type  
**Organic Vapours, Nuisance Odours and Particulate**



Product Weight  
**TH2A2P R SL Filter 592g**



Optical Class (1 – Class 1 – High quality for regular use. 2 – Class 2 – Medium quality for occasional use. 3 – Class 3 – Low quality for exceptional use)  
**1**



Protection from Liquid Droplets  
**3**



BSI Kitemark  
**Yes**

Usage  
**R (Reusable)**

Maximum Total Inward Leakage (TIL)  
**2% When Fitted To Jetstream**

UK Assigned Protection Factor  
**20**

Mask Design  
**A Turbo Hood Powered Air Purifying Respirator (Loose Fitting)**

Metal Free  
**No**



Product Weight  
**Head Top 780g**

Battery Type  
**8 Hours Rechargeable 6V 4.4 Ah. (NiMH)**

Filter Shelf Life  
**3 Years**



Product Weight  
**Power Pack & TH2A2P R SL Filter 1400g**

## FEATURES



### Comfort

Waist mounted blower unit with fully automatic alarm and integrated battery attached to a wide comfortable waist belt.



### No Face Fit Testing

As a loose-fitting respirator, Jetstream® is suitable for users with neatly trimmed, well-groomed facial hair and does not require face fit testing.



### Comfort

Waist mounted blower unit with fully automatic alarm and integrated battery attached to a wide comfortable waist belt. Complete unit and belt weigh just 765g.



### Adaptable

A wide range of kits, filters and head tops are available to suit a variety of tasks.



### High Performance

180 litres of air per minute are delivered through the Jetstream® filter via a highly flexible hose to the desired head top.



### Easy Cleaning

Quick and easy cleaning; hood, filter housing, blower unit, and hose can be wiped clean with a damp cloth soaked in mild detergent solution.



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 2 Aug 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.





### Simple Maintenance

Key components are available as spare parts, enabling simple maintenance and the option to purchase several head tops or filters.



### High Performance Filters

TH2A2P R SL (Reusable Organic Gas / Vapour & Solid & Liquid Particulate Aerosol Filter).

#### RANGE

#### DOWNLOADS

**Jetstream®**

 [Image Pack \(ZIP\)](#)

 [doc-jetstream-industrial-kit.pdf \(PDF\)](#)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jspsafety.com](mailto:sales@jspsafety.com) / Web: [www.jspsafety.com](http://www.jspsafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jspsafety.com](mailto:copyright@jspsafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 2 Aug 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.

