

TECHNICAL SPECIFICATION



Jetstream® Industrial Kits

Jetstream® TH2A2P R SL Industrial Kit / CDP030-201-300



DESCRIPTION

Jetstream® is a belt-mounted rechargeable respirator with a large capacity reusable filter supplying filtered air through a highly flexible reinforced hose to a variety of head tops for different applications.

The Jetstream® Industrial Kit carry case contains:

- Grinding visor head top
- Flexible hose
- TH2P R SL dust or TH2A2 P R SL gas and dust filters
- Flow meter
- Rechargeable battery
- Multi-region plug adaptor

OPTIONS

Jetstream® TH2P R SL Industrial Kit (CBP030-001-300)

**Jetstream® TH2A2P R SL Industrial Kit
(CDP030-201-300)**

SAFETY STANDARDS

EN 166 • EN 12941



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jpsafety.com / Web: www.jpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jpsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 29 Jan 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.



SPECIFICATIONS

	Manufacturer's Trademark JSP Dagger	 1	Optical Class (1 – Class 1 – High quality for regular use. 2 – Class 2 – Medium quality for occasional use. 3 – Class 3 – Low quality for exceptional use)
	Medium Energy Impact resists a 6 mm, 0.86g ball @ 120 m/s Maximum protection for goggles. B	 3	Protection from Liquid Droplets
	Resistance to Molten Metals and Hot Solids (optional) 9		BSI Kitemark Yes
	Classification TH2 (Turbo Hood)		Usage R (Reusable)
	Minimum Filtration Efficiency 98%		Maximum Total Inward Leakage (TIL) 2% When Fitted To Jetstream
	Nominal Protection Factor 50		UK Assigned Protection Factor 20
	Face Seal Type Hypoallergenic Material		Mask Design A Turbo Hood Powered Air Purifying Respirator (Loose Fitting)
	Latex free No		Metal Free No
	Battery Type 8 Hour Rechargeable Nickel Metal Hydride (NiMH)		Product Weight Head Top 780g
	Noise Level 65dB		Battery Type 8 Hours Rechargeable 6V 4.4 Ah. (NiMH)
	Filter Type Organic Vapours, Nuisance Odours and Particulate		Filter Shelf Life 3 Years
	Product Weight TH2A2P R SL Filter 592g		Product Weight Power Pack & TH2A2P R SL Filter 1400g

FEATURES



Comfort

Waist mounted blower unit with fully automatic alarm and integrated battery attached to a wide comfortable waist belt.



No Face Fit Testing

As a loose-fitting respirator, Jetstream® is suitable for users with neatly trimmed, well-groomed facial hair and does not require face fit testing.



Comfort

Waist mounted blower unit with fully automatic alarm and integrated battery attached to a wide comfortable waist belt. Complete unit and belt weigh just 765g.



Adaptable

A wide range of kits, filters and head tops are available to suit a variety of tasks.



High Performance

180 litres of air per minute are delivered through the Jetstream® filter via a highly flexible hose to the desired head top.



Easy Cleaning

Quick and easy cleaning; hood, filter housing, blower unit, and hose can be wiped clean with a damp cloth soaked in mild detergent solution.



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jpsafety.com / Web: www.jpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jpsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 29 Jan 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.





Simple Maintenance

Key components are available as spare parts, enabling simple maintenance and the option to purchase several head tops or filters.



High Performance Filters

TH2A2P R SL (Reusable Organic Gas / Vapour & Solid & Liquid Particulate Aerosol Filter).

RANGE

DOWNLOADS

Jetstream®

 [Image Pack \(ZIP\)](#)

 [doc-jetstream-industrial-kit.pdf \(PDF\)](#)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jpsafety.com / Web: www.jpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jpsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 29 Jan 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.

