# TECHNICAL SPECIFICATION



## Jetstream® Industrial Kits

Jetstream® TH2A2P R SL Industrial Kit / CDP030-201-300



#### **DESCRIPTION**

Jetstream® is a belt-mounted rechargeable respirator with a large capacity reusable filter supplying filtered air through a highly flexible reinforced hose to a variety of head tops for different applications.

The Jetstream® Industrial Kit carry case contains:

Grinding visor head top

Flexible hose

TH2P R SL dust or TH2A2 P R SL gas and dust filters

Flow meter

Rechargeable battery

Multi-region plug adaptor

#### **OPTIONS**

Jetstream® TH2P R SL Industrial Kit (CBP030-001-300)

Jetstream® TH2A2P R SL Industrial Kit (CDP030-201-300)

#### SAFETY STANDARDS

EN 166 • EN 12941









#### **SPECIFICATIONS**



Manufacturer's Trademark

JSP Dagger



Medium Energy Impact resists a 6 mm, 0.86g ball @ 120 m/s Maximum protection for goggles.

В



Resistance to Molten Metals and Hot Solids (optional)

9

Classification

TH2 (Turbo Hood)

Minimum Filtration Efficiency

98%

Nominal Protection Factor

50

Face Seal Type

Hypoallergenic Material

Latex free

No

**Battery Type** 

8 Hour Rechargable Nickel Metal Hydride (NiMH)

Noise Level

65dB



Filter Type

Organic Vapours, Nuisance Odours and Particulate



**Product Weight** 

TH2A2P R SL Filter 592g



Optical Class (1 – Class 1 – High quality for regular use. 2 – Class 2 – Medium quality for occasional use. 3 – Class 3 – Low quality for exceptional use)

1



Protection from Liquid Droplets

3



**BSI Kitemark** 

Yes

Usage

R (Reusable)

Maximum Total Inward Leakage (TIL) 2% When Fitted To Jetstream

**UK Assigned Protection Factor** 

20

Mask Design

A Turbo Hood Powered Air Purifiying Respirator (Loose Fitting)

Metal Free

No



Product Weight

Head Top 780g

**Battery Type** 

8 Hours Rechargable 6V 4.4 Ah. (NiMH)

Filter Shelf Life

3 Years



Product Weight

Power Pack & TH2A2P R SL Filter 1400g

#### **FEATURES**



#### Comfort

Waist mounted blower unit with fully automatic alarm and integrated battery attached to a wide comfortable waist belt.



#### No Face Fit Testing

As a loose-fitting respirator, Jetstream® is suitable for users with neatly trimmed, well-groomed facial hair and does not require face fit testing.



#### Comfort

Waist mounted blower unit with fully automatic alarm and integrated battery attached to a wide comfortable waist belt. Complete unit and belt weigh just 765g.



#### Adaptable

A wide range of kits, filters and head tops are available to suit a variety of tasks.



#### **High Performance**

180 litres of air per minute are delivered through the Jetstream® filter via a highly flexible hose to the desired head top.



#### **Easy Cleaning**

Quick and easy cleaning; hood, filter housing, blower unit, and hose can be wiped clean with a damp cloth soaked in mild detergent solution.





JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.







#### **Simple Maintenance**

Key components are available as spare parts, enabling simple maintenance and the option to purchase several head tops or filters.



### **High Performance Filters**

TH2A2P R SL (Reusable Organic Gas / Vapour & Solid & Liquid Particulate Aerosol Filter.

RANGE

DOWNLOADS

**Jetstream** 

Image Pack (ZIP)

doc-jetstream-industrial-kit.pdf (PDF)













