TECHNICAL SPECIFICATION



EVOLite® Badge Linesman Mid Peak Wheel Vented Linesman CR2

Yellow / AJB240-D00-200



DESCRIPTION

EVOLite® safety helmet with a clear plastic ID card holder that fits standard business card size identification. Simple push and slide mechanism. A lamp bracket can be positioned at the top of the unit.

OPTIONS

Blue (AJB240-D00-500)

Green (AJB240-D00-300)

Grey (AJB240-D00-400)

Orange (AJB240-D00-800)

Red (AJB240-D00-600)

White (AJB240-D00-100)

Yellow (AJB240-D00-200)

SAFETY STANDARDS

EN 397





JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com







SPECIFICATIONS



Peak Mid



Lateral Deformation Yes



Maximum Temperature





ABS Shell Yes



Textile Harness



Wheel Ratchet





Ventilation Yes



Integrated Eyewear Optional



BSI Kitemark

Yes



JSPCheck



Size

53-64cm



Impact Resistance

50 Joules



Resistance to Molten Metals and Hot Solids Helmets (optional)

Yes



Minimum Temperature

-40°C



Recyclable

Shell



Depth Adjustment

3D Harness



Universal Accessories Slot

Yes



Reflective Option

Fitted



ID card holder

Fitted



Optional 4 point chinstrap (EN397 Compliant)

Fitted



Product Weight

350g

FEATURES



Supreme Comfort

A 6-point textile cradle harness system & Chamlon™ cotton sweatband offer unrivalled comfort.



Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. Available with either the Revolution® wheel ratchet or the OneTouch™ slip ratchet.



Accessories

A universal attachment slot enables firm fitting of a range of Surefit™ safety visors, and ear defenders. EVOSpec® Integrated eyewear is also available.



ID Card Holder

Clear plastic ID card holder that fits standard business card size identification. Simple push and slide mechanism. A lamp bracket can be positioned at the top of the unit.



3D Adjustment

The textile harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



CR2™ Reflective

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility / reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.



Linesman Harness


4-point chinstrap harness for EVO® helmets. Ideal for working at height. Releases automatically with forces between 150 & 250 Newtons.





JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com







APPLICATIONS

General guidance only and should not be considered a substitute for a full risk assessment

Aerospace Agricultural

Airports Construction and Infrastructure

Facilities Management

LOGO RANGE

✓ Back

✓ Sides



DOWNLOADS

Image Pack (ZIP)

doc-invincible-evolite.pdf (PDF)













