

TECHNICAL SPECIFICATION



Flexinet® Mask FFP2V (822)

Box of 10 / BER122-201-A00



DESCRIPTION

The Flexinet™ disposable mask has an ergonomic 3D design to fit most face shapes, with extremely low breathing resistance and mesh outer shell to help the mask retain its shape.

- Medium efficiency (94% minimum) filtering.

OPTIONS

Box of 10 (BER122-201-A00)

SAFETY STANDARDS

EN 149



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 2 / Issued 1 Jun 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.



SPECIFICATIONS

Classification
FFP2 (Filtering Facepiece Particulate)

Usage
NR (Non-Reusable)

Minimum Filtration Efficiency
94% For FFP2 Rated


Nominal Protection Factor
12

Mask Design
Mesh Outer Shell


Toggle Harness adjustment system
Yes


Latex free
Yes

Mask Material
Polypropyrene

 BSI Kitemark
Yes


Face Fit Testing Required
Yes


 Filter Type
P (Protects Against Solid and Liquid Aerosol)

 Activated Carbon Layer
No

Maximum Total Inward Leakage (TIL)
8%


UK Assigned Protection Factor
10

 Exhalation Valve
Advanced Valve


 Nose Bridge
Moulded

Metal Free
Yes

Filter Shelf Life
5 Years

 Product Weight
22g

FEATURES



Comfort

A 360° comfort foam area around the inside of the mask provides a perfect fit.



Advanced Valve

Advanced design valve allows for lower breathing resistance.



Protective Grill

Flexible cover to protect and retain the shape of the mask and protect the wearer against possible damage to the filter.

RANGE



DOWNLOADS

 [Image Pack \(ZIP\)](#)

 [doc-olympus-800-series-822.pdf \(PDF\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 2 / Issued 1 Jun 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.

