

# TECHNICAL SPECIFICATION



## Jetstream® Industrial Kits

Jetstream® TH2P R SL Industrial Kit / CBP030-001-300



### DESCRIPTION

Jetstream® is a belt-mounted rechargeable respirator with a large capacity reusable filter supplying filtered air through a highly flexible reinforced hose to a variety of head tops for different applications.

The Jetstream® Industrial Kit carry case contains:

Grinding visor head top

Flexible hose

TH2P R SL dust or TH2A2 P R SL gas and dust filters

Flow meter

Rechargeable battery

Multi-region plug adaptor

### OPTIONS

**Jetstream® TH2P R SL Industrial Kit (CBP030-001-300)**

Jetstream® TH2A2P R SL Industrial Kit (CDP030-201-300)

### SAFETY STANDARDS

EN 166 • EN 12941

JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jpsafety.com / Web: www.jpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jpsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 29 Jan 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.



## SPECIFICATIONS

 Manufacturer's Trademark JSP Dagger	 Optical Class (1 – Class 1 – High quality for regular use. 2 – Class 2 – Medium quality for occasional use. 3 – Class 3 – Low quality for exceptional use) 1
 Medium Energy Impact resists a 6 mm, 0.86g ball @ 120 m/s Maximum protection for goggles. B	 Protection from Liquid Droplets 3
 Resistance to Molten Metals and Hot Solids (optional) 9	 BSI Kitemark Yes
Classification TH2 (Turbo Hood)	Usage R (Reusable)
Minimum Filtration Efficiency 98%	Maximum Total Inward Leakage (TIL) 2% When Fitted To Jetstream
Nominal Protection Factor 50	UK Assigned Protection Factor 20
Face Seal Type Hypoallergenic Material	Mask Design A Turbo Hood Powered Air Purifying Respirator (Loose Fitting)
Latex free No	Metal Free No
Battery Type 8 Hour Rechargeable Nickel Metal Hydride (NiMH)	 Product Weight Head Top 780g
Noise Level 65dB	 Filter Type P (Protects Against Solid & Liquid Particulate Aerosol)
*** Gas Filters Not Compatible ***	 Product Weight Power Pack & Filter 1066g
 Product Weight TH2P R SL Filter 124g	

## FEATURES



### Comfort

Waist mounted blower unit with fully automatic alarm and integrated battery attached to a wide comfortable waist belt.



### No Face Fit Testing

As a loose-fitting respirator, Jetstream® is suitable for users with neatly trimmed, well-groomed facial hair and does not require face fit testing.



### Comfort

Waist mounted blower unit with fully automatic alarm and integrated battery attached to a wide comfortable waist belt. Complete unit and belt weigh just 765g.



### Simple Maintenance

Key components are available as spare parts, enabling simple maintenance and the option to



### Adaptable

A wide range of kits, filters and head tops are available to suit a variety of tasks.



### High Performance

180 litres of air per minute are delivered through the Jetstream® filter via a highly flexible hose to the desired head top.



### Easy Cleaning

Quick and easy cleaning; hood, filter housing, blower unit, and hose can be wiped clean with a damp cloth soaked in mild detergent solution.



### High Performance Filters

TH2P R SL (A Reusable Solid & Liquid, Particulate Aerosol Filter)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jpsafety.com / Web: www.jpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jpsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 29 Jan 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.



purchase several head tops or filters.

RANGE

DOWNLOADS

**Jetstream®**

 [Image Pack \(ZIP\)](#)

 [doc-jetstream-industrial-kit.pdf \(PDF\)](#)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jpsafety.com](mailto:sales@jpsafety.com) / Web: [www.jpsafety.com](http://www.jpsafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jpsafety.com](mailto:copyright@jpsafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 29 Jan 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.

