

# TECHNICAL SPECIFICATION



## Jetstream® Industrial Kits

Jetstream® TH2P R SL Industrial Kit / CBP030-001-300



### DESCRIPTION

Jetstream® is a belt-mounted rechargeable respirator with a large capacity reusable filter supplying filtered air through a highly flexible reinforced hose to a variety of head tops for different applications.

The Jetstream® Industrial Kit carry case contains:

- Grinding visor head top
- Flexible hose
- TH2P R SL dust or TH2A2 P R SL gas and dust filters
- Flow meter
- Rechargeable battery
- Multi-region plug adaptor

### OPTIONS

- Jetstream® TH2P R SL Industrial Kit (CBP030-001-300)**
- Jetstream® TH2A2P R SL Industrial Kit (CDP030-201-300)

### SAFETY STANDARDS

EN 166 • EN 12941



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 28 Sep 2024 / Copyright 2018 - 2024, JSP Limited. All Rights Reserved.



## SPECIFICATIONS

Manufacturer's Trademark  
**JSP Dagger**

Medium Energy Impact resists a 6 mm, 0.86g ball @ 120 m/s Maximum protection for goggles.

**B**

Resistance to Molten Metals and Hot Solids Helmets (optional)  
**9**

Classification  
**TH2 (Turbo Hood)**

Minimum Filtration Efficiency  
**98%**

Nominal Protection Factor  
**50**

Face Seal Type  
**Hypoallergenic Material**

Latex free  
**No**

Battery Type  
**8 Hour Rechargeable Nickel Metal Hydride (NiMH)**

Noise Level  
**65dB**

\*\*\* Gas Filters Not Compatible \*\*\*

Product Weight  
**TH2P R SL Filter 124g**

Optical Class (1 – Class 1 – High quality for regular use. 2 – Class 2 – Medium quality for occasional use. 3 – Class 3 – Low quality for exceptional use)  
**1**

Protection from Liquid Droplets  
**3**

BSI Kitemark  
**Yes**

Usage  
**R (Reusable)**

Maximum Total Inward Leakage (TIL)  
**2% When Fitted To Jetstream**

UK Assigned Protection Factor  
**20**

Mask Design  
**A Turbo Hood Powered Air Purifying Respirator (Loose Fitting)**

Metal Free  
**No**

Product Weight  
**Head Top 780g**

Filter Type  
**P (Protects Against Solid & Liquid Particulate Aerosol)**

Product Weight  
**Power Pack & Filter 1066g**

## FEATURES



### Comfort

Waist mounted blower unit with fully automatic alarm and integrated battery attached to a wide comfortable waist belt.



### No Face Fit Testing

As a loose-fitting respirator, Jetstream® is suitable for users with neatly trimmed, well-groomed facial hair and does not require face fit testing.



### Comfort

Waist mounted blower unit with fully automatic alarm and integrated battery attached to a wide comfortable waist belt. Complete unit and belt weigh just 765g.



### Simple Maintenance

Key components are available as spare parts, enabling simple maintenance and the option to



### Adaptable

A wide range of kits, filters and head tops are available to suit a variety of tasks.



### High Performance

180 litres of air per minute are delivered through the Jetstream® filter via a highly flexible hose to the desired head top.



### Easy Cleaning

Quick and easy cleaning; hood, filter housing, blower unit, and hose can be wiped clean with a damp cloth soaked in mild detergent solution.



### High Performance Filters

TH2P R SL (A Reusable Solid & Liquid, Particulate Aerosol Filter)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 28 Sep 2024 / Copyright 2018 - 2024, JSP Limited. All Rights Reserved.



purchase several head tops or filters.

## APPLICATIONS

General guidance only and should not be considered a substitute for a full risk assessment

Aerospace

Agricultural

Airports

Construction and Infrastructure

Facilities Management

Manufacturing

## RANGE

## DOWNLOADS

**Jetstream**<sup>®</sup>

 [Image Pack \(ZIP\)](#)

 [doc-jetstream-industrial-kit.pdf \(PDF\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jgpsafety.com](mailto:sales@jgpsafety.com) / Web: [www.jgpsafety.com](http://www.jgpsafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jgpsafety.com](mailto:copyright@jgpsafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 28 Sep 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.

