

TECHNICAL SPECIFICATION



EVO®5 Olympus® Mid Peak Revolution® Wheel Ratchet

Yellow / AKE170-000-200



DESCRIPTION

The EVO®5 Olympus® safety helmet combines a super strong ABS shell designed for superior all day protection with the comfort benefits of the Evolution® 3D-Adjustment™ harness system.

EVO®5 Olympus® Industrial safety helmet passes all relevant industrial international standards.

OPTIONS

- White (AKE170-000-100)
- Orange (AKE170-000-800)
- Green (AKE170-000-300)
- Yellow (AKE170-000-200)**
- Red (AKE170-000-600)

SAFETY STANDARDS

EN 397 • EN 50365 • ANSI/ISEA Z89.1 • CSA Z94.1



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.
























Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 7 Feb 2023 / Copyright 2018 - 2023. JSP Limited. All Rights Reserved.



SPECIFICATIONS

| | | | |
|--|--|---|---|
|  | Peak Mid |  | Impact Resistance 50 Joules |
|  | EN 50365 ELECTRICAL INSULATION 1000V |  | ANSI Electrical Class E 20,000V |
|  | Lateral Deformation Yes |  | Molten Metal Yes |
|  | Maximum Temperature +50°C |  | Minimum Temperature -40°C |
|  | ABS Shell Yes |  | Recyclable Shell |
|  | Textile Harness |  | Depth Adjustment 3D Harness |
|  | Wheel Ratchet Yes |  | Universal Accessories Slot Yes |
|  | Ventilation No |  | Reflective Option Optional |
|  | Integrated Eyewear Optional |  | ID card holder Optional |
|  | BSI Kitemark Yes |  | Optional 2 point chinstrap (EN397 & EN 812 compliant) Optional |
|  | Optional 4 point chinstrap (EN397 Compliant) Optional |  | JSPCheck Yes |
|  | Product Weight 372g | | |

FEATURES



Tough ABS Shell

The EVO®5 safety helmet features an extremely robust ABS shell designed for superior protection. It features a distinctive five stripe design and the JSP Shield.



Textile Harness

A 6 point terylene cradle harness system & Egyptian cotton Chamlon™ sweatband offers unrivalled comfort.



CR2 Reflective

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility / reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets.



Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. The Revolution® wheel ratchet makes it simple to tighten to the perfect fit.



3D Adjustment

The textile harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



Accessories

A universal attachment slot enables firm fitting of a range of Surefit™ safety visors and ear defenders. EVOSpec® Integrated eyewear is also available.

JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jpsafety.com / Web: www.jpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jpsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 7 Feb 2023 / Copyright 2018 - 2023. JSP Limited. All Rights Reserved.



Minimum order quantities and set-up charges apply.

LOGO

- Front
- Back
- Sides

RANGE



DOWNLOADS

-  [Image Pack \(ZIP\)](#)
-  [doc-invincible-evo5.pdf \(PDF\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 7 Feb 2023 / Copyright 2018 - 2023. JSP Limited. All Rights Reserved.

