

## Powercap® Active™ 8hr Multi Plug - Black

Noir / CAE601-941-100



### DESCRIPTION

Powercap® Active™ is a lightweight powered air purifying respirator with EN 812 bump cap protection. Firm-fitting and ergonomically designed, the Powercap® Active™ is designed to protect the user from dust and other airborne particulate pollutants to EN 12941 TH1P level.

### OPTIONS
















Noir (CAE601-941-100)

### NORMES

EN 12941 • EN 812



## INFORMATIONS TECHNIQUES

	Visière 7cm		Résistance à l'impact 12 Joules x 4
	Résistance aux chocs latéraux 12 Joules		Température Maximale -40°C
	Température Minimale +5°C		Calotte PEHD Oui
	Recyclable Calotte:		Serrage glissière Glissière
	Ventilation Oui		Option réfléchissante Non
	Classification TH1 (Turbo hood)		Type de filtre P (Protection contre les aérosols solides et liquides)
	Utilisation R (Réutilisable)		Valve d'expiration Non
	Efficacité de filtration minimale 90%		Fuite totale vers l'intérieur (TIL) 10% When fitted to PowerCap® Active™ respirator
	Facteur nominal de protection 10		Facteur de protection assigné au Royaume-Uni 10
	Conception des masques Turbo hood Powered Air Purifying Respirator (Loose-fitting)		Type de joint facial Hypoallergenic material
	Sans latex Oui		Sans métal Non
	Durée de stockage des filtres 5 ans		Matériau filtre Pleated media
	Marque du fabricant JSP Dagger		BSI Kitemark Oui
	Poids du produit 659g		Niveau sonore 68.2dB
	Type de batterie Rechargeable Lithium-ion		4000mAh, 3.7V, 14.8Wh
	Micro USB 5VDC, 1.0A		4.2VDC, 3.4A
	8+ hours		5 hours approx.

## CARACTÉRISTIQUES



### Powered Air

Protection to EN 12941 TH1P provides a cooling, comfortable supply of filtered air at 160 litres per minute, eliminating breathing resistance and visor misting.



### Casquette anti-heurts

The cap uses JSP HardCap™ A1+ bump cap technology, exceeding the EN 812 standard. The cap cover is easily removable, wipeable and machine washable.



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 15 Jun 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.





## Micro USB Charging

PowerCap® Active™ is supplied with a micro USB cable for recharging in as little as 5 hours. The PowerBox™1 battery pack features a built-in fuel gauge, making it easy to check charge level.

### GAMME

### VIDÉOS



[www.jspgo.com/UI-FH/UI\\_PowercapActive/UI\\_PowercapActive](http://www.jspgo.com/UI-FH/UI_PowercapActive/UI_PowercapActive)

### TÉLÉCHARGEMENTS

 [Pack d'images \(ZIP\)](#)

 [doc-powercap\\_active\\_ip.pdf \(PDF\)](#)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jspafety.com](mailto:sales@jspafety.com) / Web: [www.jspafety.com](http://www.jspafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jspafety.com](mailto:copyright@jspafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 15 Jun 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.

