

# TECHNISCHE SPEZIFIKATION



## Swiss One SEEZ

1SEZLGB23CKN / 1SEZLGB23CKN



### BESCHREIBUNG

Dieses außergewöhnliche Brillenkonzept vereint innovative Technologien und High-Tech-Funktionen sowie Vorteile! Wraparound-Design, die 10er-Glas-Basiskurve bietet erstaunliche optische Klarheit, integrierter Gesichtsschutz für Komfort und Schutz, Swiss One Flexofit Technologie sowie rutschfeste Bügel aus Memory Material, die so geformt werden können, dass sie optimale Passform und Sicherheit bieten, ein flexibler Nasensteg bietet zusätzlichen Komfort und Halt...

### OPTIONEN

1SEZBG23CKN (1SEZBG23CKN)  
1SEZBG23SKN (1SEZBG23SKN)  
**1SEZLGB23CKN (1SEZLGB23CKN)**

### SICHERHEITSSTANDARDS

EN 170 • EN 166



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jgpsafety.com / Web: www.jgpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jgpsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 24 Mar 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.



## SPEZIFIKATIONEN



RADIATION PROTECTION BREAKDOWN filtering effect  
Scale Number  
2C



Manufacture's Trademark Swiss One  
**Swiss One**



Low Energy Impact resists a 6 mm, 0.86g ball @ 45 m/s °  
Maximum protection for glasses  
**F**



Resistance to Surface Damage by Fine Particles (optional)  
**K**

Excellence Coating (KN Anti-Scratch/Anti-Mist)  
**Ja**

Lightweight  
**Ja**

Flex Nose Bridge  
**Ja**

Memory Form Side Arms  
**Ja**



Product Weight  
27g



LIGHT TRANSMISSION BREAKDOWN Lens Shade number  
1,2



Optical Class (1 – Class 1 – High quality for regular use. 2 –  
Class 2 – Medium quality for occasional use. 3 – Class 3 –  
Low quality for exceptional use)  
**1**



The letter T, immediately after the mechanical strength  
symbol, authorises use for high speed particles at extreme  
temperatures. (-5°C and +55°C) Optional  
**T**



Resistance to fogging (optional)

Lens Base Curve  
**10**

Soft End Tips - Flex Flat Temple Pressure Free  
**Ja**

Rotating Side Arms  
**Ja**

FLEXoFIT Technology  
**Ja**

## EIGENSCHAFTEN



### Beschlagfrei

Beschlagfrei



### Glaskurve

Glaskurve



### Leichtgewicht

Leichtgewicht



### Memory Schaum

Memory Schaum



### Weiches Nasenpad

Weiches Nasenpad



### Flexofit-Technologie

Flexofit-Technologie



### Kratzfest

Kratzfest



### Hochleistungsfähige Beschichtung

Kratzfeste/Beschlagfreie Hochleistungsfähige  
Beschichtung



### Schwenkbare Bügel

Schwenkbare Bügel



### Weiche Bügelenden

Weiche Bügelenden



### Flexibler Nasensteg

Flexibler Nasensteg

## SERIE

## DOWNLOADS

[Bilderordner \(ZIP\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jgpsafety.com / Web: www.jgpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jgpsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 24 Mar 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.





JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jgpsafety.com](mailto:sales@jgpsafety.com) / Web: [www.jgpsafety.com](http://www.jgpsafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jgpsafety.com](mailto:copyright@jgpsafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 24 Mar 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.

