# TECHNICAL SPECIFICATION



# 5m Wire Self-Retractable Lifeline Sharp Edge

5m Wire Self-Retractable Lifeline Sharp Edge / FAR0720

















# DESCRIPTION

5m wire self-retractable lifeline in robust and durable plastic casing, equipped with steel swivel snap hook connector, and screw gate aluminium connector at anchorage point. Suitable for horizontal use (VG 11 RFU CNB/P/11.060).

## OPTIONS

5m Wire Self-Retractable Lifeline Sharp Edge (FAR0720)

### SAFETY STANDARDS

EN 360





JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com













 $Tel: + 44 \ (0) \\ 1993 \ 826050 \ / \ Fax: + 44 \ (0) \\ 1993 \ 824411 \ / \ Email: \\ sales@jspsafety.com \ / \ Web: \\ www.jspsafety.com \ / \ Web: \\ www.$ 

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.





#### **SPECIFICATIONS**

Fall Indicator

Yes

Material

Galvanised Steel Wire 4.8mm Diameter

Sharp Edge

Yes

Rated Weight / Load

100kg

**Delivered With** 

1 Steel Swivel Snap Hook. Gate Opening 20mm. Conforms To EN362 Class T. 1 Screw Gate Aluminium Connector At The Anchorage Point. Gate Opening 22mm. Conforms To EN362 Class B.

#### **DOWNLOADS**

Image Pack (ZIP)

doc-far0720-far0721.pdf (PDF)

Length 5m

Shock Absorber

External

Casing

Robust and Durable Plastic



Product Weight

3114g













