

# TECHNICAL SPECIFICATION



## K2™ 2m Single Fall Arrest Lanyard

K2™ 2m Single Fall Arrest Lanyard / FAR0404



### DESCRIPTION

The K2™ internal fall arrest lanyards come with the energy absorption feature incorporated within their core. Without the need for an extra energy absorption pack, they are lighter in weight than other solutions, and also prevent trip hazards.

The elastic nature of these lanyards reduce the actual effective length of the lanyard, and it is therefore important to note both lanyard length and effective length.

### OPTIONS

**K2™ 2m Single Fall Arrest Lanyard (FAR0404)**

### SAFETY STANDARDS

EN 355



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 2 / Issued 29 Sep 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.



## SPECIFICATIONS

Fall Indicator  
No

Material  
40mm Wide Tubular Polyester Webbing With  
Textile Loops.

Sharp Edge  
No

Protective Rope Sleeve  
No

Delivered With  
1 Quarter Turn Aluminium Connector. Gate  
Opening: 21mm. Conforms To EN362:2004 Class B  
1 aluminium scaffold hook. Gate Opening 60 mm.  
Conforms To EN362:2004 Class A/T

Length  
1.4m to 2m

Shock Absorber  
Internal

Rope Ends  
X



Product Weight  
989g

## DOWNLOADS

 [Image Pack \(ZIP\)](#)

 [doc-far0404-far0405.pdf \(PDF\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jspsafety.com](mailto:sales@jspsafety.com) / Web: [www.jspsafety.com](http://www.jspsafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jspsafety.com](mailto:copyright@jspsafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 2 / Issued 29 Sep 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.

