

# TECHNICAL SPECIFICATION



## Force® 8 Half Mask Respirator

Large (F8-830) / BHG003-2L5-000



### DESCRIPTION

The Force®8 twin cartridge half mask with Typhoon™ valve offers superior low breathing resistance and incorporates a 4-point suspension harness with quick release buckles. The mask accepts the full range of Force® filters, including PressToCheck™ and PressToCheck™ Compact ranges, providing protection against particulates, many gases and vapours.

### OPTIONS

- Large (F8-830) (BHG003-2L5-000)**
- Medium (F8-820) (BHT003-0L5-000)
- Short Wide (F8-840) (BHG002-0L5-000)
- Small (F8-810) (BHG003-1L5-000)

### SAFETY STANDARDS

EN 140



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 26 Oct 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.



## SPECIFICATIONS

Usage  
R

Exhalation Valve  
Typhoon Valve

Mask Design  
Single Piece Over-Moulded Twin Filter Half Mask

Nose Bridge  
Moulded

4 Point Harness adjustment system  
Yes

BSI Kitemark  
Yes

Mask Material  
Thermoplastic Elastomer & Acrylonitrile butadiene styrene (ABS)

Latex free  
Yes

Metal Free  
Yes

Product Weight  
90g

## FEATURES



### Superior Comfort & Fit

Durable thermoplastic rubber mask available in three sizes for superior fit to most face shapes. Fully adjustable 4-point cradle suspension ensuring an effective facial fit.



### Typhoon™ valve

Low resistance exhalation valve for easy breathing. Made from silicone it performs well at very low temperatures.



### Compatibility

The low-profile, swept-back design Force@8 PressToCheck™ enables excellent visibility, allowing the filters to be worn effectively behind all types of faceshield and welding visor.



### Filter Compatibility

Fully compatible with PressToCheck™ twin filter cartridges, providing daily face fit reassurance with the easiest way to check the seal each time the mask is donned. Fit it - Press it - Check it.



### Effortless Maintenance

The Force@8 half mask has been meticulously engineered to incorporate a small number of key components. Disassembly, cleaning and maintenance are effortless with replacement parts available if necessary.



### Available in 4 Sizes

Available in Small, Medium, Large and Short/Wide to provide an even better fit to a wider range of face sizes and shapes improving the seal and level of protection. A size guide is available for use with Force@ respirator masks.

## APPLICATIONS

General guidance only and should not be considered a substitute for a full risk assessment

Aerospace

Agricultural

Airports

Construction and Infrastructure

Facilities Management

Food and Drink Manufacturing

Hospitals, Healthcare & Pharmaceuticals

Law Enforcement

Manufacturing

Maritime

Mining, Aggregates and Quarrying

Oil, Gas and Chemical Companies

Rail and Tunnelling

Renewable, Wind and Solar Energy

Scaffolding and Roofing

Sole Trader

Utilities Contractors

Welding

## RANGE

## VIDEOS



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.



Page 2 of 3 / Issued 26 Oct 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.





- ▶ [www.youtube.com/watch?v=s13lbaWBKOM](https://www.youtube.com/watch?v=s13lbaWBKOM)
- ▶ [youtu.be/1Y9G8E9kEXQ](https://youtu.be/1Y9G8E9kEXQ)
- ▶ [youtu.be/Ecyu\\_ftPPX4](https://youtu.be/Ecyu_ftPPX4)
- ▶ [youtu.be/-oUSyP9\\_NsA](https://youtu.be/-oUSyP9_NsA)

## DOWNLOADS

-  [Image Pack \(ZIP\)](#)
-  [doc-force-8-halfmask.pdf \(PDF\)](#)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jsp-safety.com](mailto:sales@jsp-safety.com) / Web: [www.jsp-safety.com](http://www.jsp-safety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jsp-safety.com](mailto:copyright@jsp-safety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 26 Oct 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.

