

# TECHNICAL SPECIFICATION



## 500 Series Moulded Masks

Disposable Moulded Mask FFP3 Valved (532) Box 5 / BEK130-002-M00



### DESCRIPTION

Disposable mask with 360° comfort foam and exhalation valve for low breathing resistance. The adjustable 4-point head strap means it can be fitted comfortably to all head sizes and shapes.

### OPTIONS

**Disposable Moulded Mask FFP3 Valved (532) Box 5 (BEK130-002-M00)**

### SAFETY STANDARDS

EN 149



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.






Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 8 Jul 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.



## SPECIFICATIONS

<p>Classification <b>FFP3 (Filtering Facepiece Particulate)</b></p>	<p>Filter Type <b>P (Protects Against Solid and Liquid Aerosols)</b></p>
<p>Usage <b>NR (Non-Reusable)</b></p>	<p>(D) Resistance to dust clogging <b>Yes – D marking = passes optional clogging test</b></p>
<p> Activated Carbon Layer <b>No</b></p>	<p>Minimum Filtration Efficiency <b>99% For FFP3 Rated</b></p>
<p>Maximum Total Inward Leakage (TIL) <b>2%</b></p>	<p>Nominal Protection Factor <b>50</b></p>
<p>UK Assigned Protection Factor <b>20</b></p>	<p>Mask Design <b>Moulded</b></p>
<p> Exhalation Valve <b>Yes</b></p>	<p> 4 Point Harness adjustment system <b>Yes</b></p>
<p> Nose Bridge <b>Moulded</b></p>	<p>Latex free <b>Yes</b></p>
<p>Metal Free <b>Yes</b></p>	<p>Mask Material <b>Polypropylene</b></p>
<p>Filter Shelf Life <b>5 Years</b></p>	<p> Product Weight <b>15g</b></p>

## FEATURES



### Exhalation Valve

Low resistance exhalation valve for easy breathing.



### Foam Padded Nose Bridge

A mouldable nose bridge and 360° foam area around the inside provide comfort and a firmer fit.



### 4-Point Adjustable Straps

Metal free, 4-point adjustable straps create a firm and adaptable fit.

## APPLICATIONS

General guidance only and should not be considered a substitute for a full risk assessment

Aerospace

Agricultural

Airports

Construction and Infrastructure

Facilities Management

Food and Drink Manufacturing

Forestry & Landscaping

Hospitals, Healthcare & Pharmaceuticals

Law Enforcement

Manufacturing

Maritime

Mining, Aggregates and Quarrying

Oil, Gas and Chemical Companies

Rail and Tunnelling

Renewable, Wind and Solar Energy

Scaffolding and Roofing

Sole Trader

Transportation, Warehousing & Logistics

Utilities Contractors

Welding



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.


Page 2 of 3 / Issued 8 Jul 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.





 [Image Pack \(ZIP\)](#)

 [doc-disposable-dust-masks-500-series-532.pdf \(PDF\)](#)

 [doc-disposable-dust-masks-500-series-532.pdf \(PDF\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jgpsafety.com](mailto:sales@jgpsafety.com) / Web: [www.jgpsafety.com](http://www.jgpsafety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jgpsafety.com](mailto:copyright@jgpsafety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 8 Jul 2024 / Copyright 2018 - 2024. JSP Limited. All Rights Reserved.

