TECHNICAL SPECIFICATION



Pioneer™ 3-Point Harness

Pioneer™ 3-Point Harness / FAR0204



DESCRIPTION

3-point harnesses are designed for use in applications requiring a work positioning element, such as for telecoms engineers. This harness is lightweight, features the Pioneer™ range combination of black and grey for ease of identification between the shoulder and leg straps, and comes with a padded back support for extra comfort.

OPTIONS

Pioneer™ 3-Point Harness (FAR0204)

SAFETY STANDARDS

EN 361 • EN 358





JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com







SPECIFICATIONS

Anchorage Points

2

Fall Indicator

Yes

Work Postioning Belt

Yes

Comfort Padding

No

Sub-Pelvic Strap

Yes

Metal Parts

Light Alloy Steel



Product Weight

1900g

Adjustment

Shoulders, Chest and Legs

Quick Release Buckles

No

Tool Keeper

Yes

Lanyard Parking

No

Product Label Protected



Rated Weight / Load

140kg

FEATURES



Fall Indicator

Visual identification shows harness has been subjected to a fall, for easier inspection.



Inspection Labels

Inspection labels and user information protected in PVC pouch.



Lightweight

Lightweight alloy steel hardware for strength, comfort, and convenience.



Points of Adjustment

Fully adjustable harness with adjustment points at the legs, shoulders and chest.

RANGE VIDEOS



youtu.be/37Q_1s4H2-M

DOWNLOADS

Image Pack (ZIP)



doc-far0203-far0204-far0209.pdf (PDF)









