

## Powercap® Active™ IP 8 Std. Multinationaler-Stecker

Schwarz / CAE602-941-100



### BESCHREIBUNG

PowerCap® Active™ IP ist ein leichter Gebläseatemschutz mit Augen- & Gesichtsaufprallschutz sowie Stoßschutz gemäß EN 812 . PowerCap® Active™ IP ist leicht, fest anliegend, ergonomisch geformt und wurde entwickelt, um den Benutzer vor Staub und den meisten Partikelschadstoffen in der Luft nach EN 12941 TH1P zu schützen.

- 1mm dickes Polycarbonat-Visier mit Aluminiumkanten, die Aufprallschutz bieten - mit Nieten befestigt.

### OPTIONEN


















**Schwarz (CAE602-941-100)**

### SICHERHEITSSTANDARDS

EN 12941 • EN 812 • EN 166



## SPEZIFIKATIONEN

	Schirm 7cm		Stoßfestigkeit 12 Joules x 4
	Seitliche Schlagfestigkeit 12 Joules		Max. Temperatur +40°C
	Min. Temperatur +5°C		HDPE-Schale Ja
	Wiederverwendbar Schale		Schnallenartiges Gurtverstellungssystem Elastic harness with lockable buckle
	Belüftung Ja		Reflektierendes CR2 Nein
	Klassifizierung TH1 (Turbo Haube)		Filtertyp P (schützt gegen feste und flüssige Aerosole)
	Anwendung R (Wiederverwendbar)		AUSATEMVENTIL Nein
	Filtrationseffizienz 90%		Gesamte nach Innen gerichtete Leckage (TIL) 10% bei Montage an einer PowerCap® Active™
	Nominaler Schutzfaktor 10		UK Zugewiesener Schutzfaktor 10
	Maskendesign Ein angetriebenes Atemschutzgerät zur Luftreinigung mit Turbohaube (lockere Passform)		Gesichtsabdichtungs-Typ Hypoallergenes Material
	Latexfrei Ja		Metallfreie Nein
	Filter-Lagerzeit 5 Jahre		Filtermaterial Gefaltete Medien
	Batterie Typ Wiederaufladbare Lithium-Ionen 2 x 3,7 V 1,9 Ah		Markenzeichen des Herstellers JSP Dolch
	Optische Klasse 1 (Klasse 1 - Hohe Qualität für den regelmäßigen Gebrauch). 2 - Klasse 2 - Mittlere Qualität für gelegentlichen Gebrauch. 3 – Klasse 3 – Niedrige Qualität für außergewöhnlichen Einsatz) 1		Mittlere Aufprallenergie widersteht einer 6mm, 0,86g Stahlkugel bei 120 m/s maximaler Schutz für Überbrillen. B
	Schutz vor Flüssigkeitsspritzern 3		BSI Kitemark Ja
	Produktgewicht 659g		Geräuschpegel 68,2dB

## EIGENSCHAFTEN



### Powered Air

Protection to EN 12941 TH1P provides a cooling, comfortable supply of filtered air at 160 litres per minute, eliminating breathing resistance and visor misting.



### Kopfschutz durch Anstoßkappe

The cap uses JSP HardCap™ A1+ bump cap technology, exceeding the EN 812 standard. The cap cover is easily removable, wipeable and machine washable.



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 8 Apr 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.





## Micro USB Charging

PowerCap® Active™ is supplied with a micro USB cable for recharging in as little as 5 hours. The PowerBox™1 battery pack features a built-in fuel gauge, making it easy to check charge level.



## Augen- und Gesichtsschutz

The IP version offers eye and face impact protection to EN 166 1 B, ideal for working in environments where there is a danger of flying particles. Schutzvisiere verfügbar.

### SERIE



### VIDEOS

[www.jspgo.com/UI-FH/UI\\_PowercapActive/UI\\_PowercapActive](http://www.jspgo.com/UI-FH/UI_PowercapActive/UI_PowercapActive)

### DOWNLOADS

 [Bilderordner \(ZIP\)](#)

 [doc-powercap\\_active\\_ip.pdf \(PDF\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jsp-safety.com](mailto:sales@jsp-safety.com) / Web: [www.jsp-safety.com](http://www.jsp-safety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jsp-safety.com](mailto:copyright@jsp-safety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 8 Apr 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.

