

# TECHNICAL SPECIFICATION



## Hardcap Aerolite® 60° Micro Peak

White / AAG002-100-100



### DESCRIPTION

Designed by JSP's in-house Research and Development team, the HardCap AeroLite® 60° weighs less than 135g without compromising on performance. The protective liner is easy to remove, allowing the outer cap and comfort pad to be machine washed at 60°C for good hygiene and extended product life.

### OPTIONS

Hi-Vis Yellow (AAG002-101-500)

Navy (AAG002-102-100)

Red (AAG002-100-600)

**White (AAG002-100-100)**

### SAFETY STANDARDS

EN 812



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.


















Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jsp-safety.com](mailto:sales@jsp-safety.com) / Web: [www.jsp-safety.com](http://www.jsp-safety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jsp-safety.com](mailto:copyright@jsp-safety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 16 Sep 2025 / Copyright 2018 - 2025. JSP Limited. All Rights Reserved.



## SPECIFICATIONS

	Peak 2.5cm		Impact Resistance 12 Joules x 4
	Maximum Temperature +50°C		Minimum Temperature -40°C
	HDPE Shell Yes		Recyclable Shell
	EPP Liner Yes		Slip Ratchet Slip
	Ventilation Yes		Reflective Option No
	Anti-bacterial Coating Polygiene®		Product Weight < 135g
	BSI Kitemark Yes		Machine Washable At Max 60°C
	Product Weight 127g		Optional 2 point chinstrap (EN397 & EN 812 compliant) Optional
	Size 53-64cm		

## FEATURES



### Full HDPE Shell

Underneath the sleek textile cover is a tough HDPE shell and a lightweight EPP impact liner, carefully designed to allow for flexibility and comfort for the wearer.



### Fit & Comfort

There is replaceable padding to provide extra comfort and a better fit. The comfort pad and the sweatband are moisture wicking to move sweat away from the skin.



### Air Flow Technology

The cover has large open weave panels allowing the easy transfer of cool air. This substantially reduces heat build-up and discomfort for the wearer, especially when worn over long periods.




### Embroidery Logos

Get your logo embroidered onto the front or back of your Hardcap A1+, HardCap Aerolite® or HardCap Aerolite® 60°.



### JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.



### Reflective Areas

Large reflective areas on the side panels of the cover and reflective piping around the peak provide extra visibility and improved safety in low-light conditions. Not available on HardCap Aerolite® 60°.



### Peak Options

Available in black or blue as standard and with either a 50mm or 25mm peak. The longer peak provides better shade and the shorter peak provides improved vision when looking upward.



### Anti Bacterial

The cover is removable and machine washable. The sweatband and padding are treated with Polygiene®, which reduces skin irritations, odours and wash cycles, and prolongs the lifetime of the fabrics.



### Heat Transfer Logos

Heat transfer your logo onto either the front, back or side of your Hardcap A1+, HardCap aerolite or HardCap aerolite60°.



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 16 Sep 2025 / Copyright 2018 - 2025, JSP Limited. All Rights Reserved.



 [Image Pack \(ZIP\)](#) [doc-hardcap-aerolite-60.pdf \(PDF\)](#)