# TECHNICAL SPECIFICATION



# EVO®5 Olympus® Mid Peak Revolution® Wheel Ratchet Vented

White / AKF170-000-100



#### DESCRIPTION

The EVO®5 Olympus® safety helmet combines a super strong ABS shell designed for superior all day protection with the comfort benefits of the Evolution® 3D-Adjustment $^{\text{TM}}$  harness system.

EVO®5 Olympus® Industrial safety helmet passes all relevant industrial international standards.

# OPTIONS

Blue (AKF170-000-500)

Green (AKF170-000-300)

Grey (AKF170-000-400)

Orange (AKF170-000-800)

Red (AKF170-000-600)

White (AKF170-000-100)

Yellow (AKF170-000-200)

#### SAFETY STANDARDS

EN 397 • CSA Z94.1







Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com







#### **SPECIFICATIONS**

Peak

Mid

Lateral Deformation

Yes

Maximum Temperature

+50°C

**ABS Shell** 

Yes

Textile

Harness

Wheel Ratchet

Yes

Ventilation

Yes

Integrated Eyewear

Optional

**BSI Kitemark** 

Yes

Optional 4 point chinstrap (EN397 Compliant)

Optional

**Product Weight** 

372g

Impact Resistance

50 Joules

Resistance to Molten Metals and Hot Solids Helmets (optional)

Yes

Minimum Temperature

-40°C

Recyclable

Shell

Depth Adjustment

3D Harness

Universal Accessories Slot

Yes

Reflective Option

Optional

ID card holder

Optional

Optional 2 point chinstrap (EN397 & EN 812 compliant)

Optional

**JSPCheck** 

Yes

Size

53-64cm

#### **FEATURES**



#### **Tough ABS Shell**

The EVO®5 safety helmet features an extremely robust ABS shell designed for superior protection. It features a distinctive five stripe design and the JSP Shield.



#### **Textile Harness**

A 6-point textile cradle harness system & Chamlon  $^{\text{TM}}$  cotton sweatband offer unrivalled comfort.



#### **CR2 Reflective**

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility / reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



#### JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.



### Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. The Revolution® wheel ratchet makes it simple to tighten to the perfect fit.



# 3D Adjustment

The textile harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



#### **Accessories**

A universal attachment slot enables firm fitting of a range of Surefit™ safety visors and ear defenders. EVOSpec® Integrated eyewear is also available.



# **Ventilation Option**

Side and rear ventilation for optimum air movement inside the shell, reducing helmet temperatures by an average 2-3 degrees.





JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.





#### **APPLICATIONS**

General guidance only and should not be considered a substitute for a full risk assessment

Construction and Infrastructure Mining, Aggregates and Quarrying

Oil, Gas and Chemical Companies Rail and Tunnelling

Renewable, Wind and Solar Energy Utilities Contractors

#### LOGO RANGE

✓ Front

✓ Back

✓ Sides



# DOWNLOADS

Image Pack (ZIP)

doc-invincible-evo5.pdf (PDF)











