

# TECHNICAL SPECIFICATION



## Hardcap Aerolite® 60° Micro Peak

Navy / AAG002-102-100



### DESCRIPTION

Designed by JSP's in-house Research and Development team, the HardCap AeroLite® 60° weighs less than 135g without compromising on performance. The protective liner is easy to remove, allowing the outer cap and comfort pad to be machine washed at 60°C for good hygiene and extended product life.

### OPTIONS

Hi-Vis Yellow (AAG002-101-500)

**Navy (AAG002-102-100)**

Red (AAG002-100-600)

White (AAG002-100-100)

### SAFETY STANDARDS

EN 812



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jsp-safety.com / Web: www.jsp-safety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jsp-safety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 1 of 3 / Issued 6 May 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.



## SPECIFICATIONS

 Peak 2.5cm	 Impact Resistance 12 Joules x 4
 Maximum Temperature +50°C	 Minimum Temperature -40°C
 HDPE Shell Yes	 Recyclable Shell
 EPP Liner Yes	 Slip Ratchet Slip
 Ventilation Yes	 Reflective Option No
 Anti-bacterial Coating Polygiene®	 Product Weight < 135g
 BSI Kitemark Yes	 Machine Washable At Max 60°C
 Product Weight 127g	 Optional 2 point chinstrap (EN397 & EN 812 compliant) Optional
 Size 53-64cm	

## FEATURES



### Full HDPE Shell

Underneath the sleek textile cover is a tough HDPE shell and a lightweight EPP impact liner, carefully designed to allow for flexibility and comfort for the wearer.



### Fit & Comfort

There is replaceable padding to provide extra comfort and a better fit. The comfort pad and the sweatband are moisture wicking to move sweat away from the skin.



### Air Flow Technology

The cover has large open weave panels allowing the easy transfer of cool air. This substantially reduces heat build-up and discomfort for the wearer, especially when worn over long periods.



### Embroidery Logos

Get your logo embroidered onto the front or back of your Hardcap A1+, HardCap Aerolite® or HardCap Aerolite® 60°.



### Reflective Areas

Large reflective areas on the side panels of the cover and reflective piping around the peak provide extra visibility and improved safety in low-light conditions. Not available on HardCap Aerolite® 60°



### Peak Options

Available in black or blue as standard and with either a 50mm or 25mm peak. The longer peak provides better shade and the shorter peak provides improved vision when looking upward.



### Anti Bacterial

The cover is removable and machine washable. The sweatband and padding are treated with Polygiene®, which reduces skin irritations, odours and wash cycles, and prolongs the lifetime of the fabrics.



### JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.

JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jpsafety.com / Web: www.jpsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jpsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 2 of 3 / Issued 6 May 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.





 [Image Pack \(ZIP\)](#)

 [doc-hardcap-aerolite-60.pdf \(PDF\)](#)



JSP Limited, Worsham Mill, Minster Lovell, Oxford OX29 0TA, England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: [sales@jsp-safety.com](mailto:sales@jsp-safety.com) / Web: [www.jsp-safety.com](http://www.jsp-safety.com)

Do Not Publish without written permission from JSP Limited. Contact [copyright@jsp-safety.com](mailto:copyright@jsp-safety.com). Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.

Page 3 of 3 / Issued 6 May 2026 / Copyright 2018 - 2026. JSP Limited. All Rights Reserved.

