TECHNICAL SPECIFICATION



EVO®3 Mid Peak OneTouch™ Slip Ratchet Non Vented

Orange / AJE160-000-800



DESCRIPTION

The EVO®3 Comfort Plus helmet combines a super strong shell for superior all day protection in the widest range of environments, with the comfort benefits of the new Evolution® 3D Adjustment™ harness system. EVO®3 is a true evolution of the long-established MK®2 and MK®3 helmets. The EVO®3 retains the JSP signature styling while incorporating developments first seen in the EVO®8. Packed full of the latest protection technology and features.

OPTIONS

Blue (AJE160-000-500)

Green (AJE160-000-300)

Grey (AJE160-000-400)

Orange (AJE160-000-800)

Red (AJE160-000-600)

White (AJE160-000-100)

Yellow (AJE160-000-200)

SAFETY STANDARDS

EN 397 • EN 50365







Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com







SPECIFICATIONS



Peak Mid



EN 50365 ELECTRICAL INSULATION 1000V



Maximum Temperature

+50°C



HDPE Shell Yes



Textile Harness



Slip Ratchet Slip



Ventilation No



Integrated Eyewear Optional



BSI Kitemark

Yes



Optional 4 point chinstrap (EN397 Compliant)

Optional



Product Weight

372g



Impact Resistance

50 Joules



Resistance to Molten Metals and Hot Solids (optional)

Minimum Temperature

-40°C



Recyclable Shell



Depth Adjustment

3D Harness



Universal Accessories Slot

Yes



Reflective Option

Optional



ID card holder Optional



Optional 2 point chinstrap (EN397 & EN 812 compliant)

Optional



JSPCheck

Yes



Size

53-64cm

FEATURES



Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. Available with either the Revolution® wheel ratchet or the OneTouch™ slip ratchet.



CR2™ Reflective

Using Class RA2, high intensity reflective. CR2™ is the biggest step-up in night time visibility/reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



Supreme Comfort

A 6-point textile cradle harness system & Chamlon™ cotton sweatband offer unrivalled comfort.



3D Adjustment

The comfortable textile harness features unique 1-2-3 point depth settings, offering the most precise fit attainable on an industrial safety helmet.



Accessories

A universal attachment slot enables firm fitting of a range of Surefit™ safety visors and ear defenders. EVOSpec® Integrated eyewear is also available.



RANGE

JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.

LOGO

✓ Front



✓ Back





Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

 $Do \ Not \ Publish \ without \ written \ permission \ from \ JSP \ Limited. \ Contact \ copyright@jspsafety.com. \ Information \ correct in the \ United \ Kingdom \ at \ Not \ Publish \ without \ written \ permission \ from \ JSP \ Limited.$ date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.







VIDEOS

www.youtube.com/watch?v=PmDMMktdotQ

www.youtube.com/watch?v=LdxMNctXLbg

DOWNLOADS

Image Pack (ZIP)

doc-invincible-evo3.pdf (PDF)













