# TECHNICAL SPECIFICATION



# EVOLite® Mid Peak OneTouch™ Slip Ratchet Non Vented

Blue / AJA160-000-500



# DESCRIPTION

The EVOLite® is a breakthrough product enabling Health and Safety Officers to achieve new levels of compliance due to its unrivalled comfort. It is lightweight, extremely comfortable and fits the widest range of head shapes and sizes. The harness and shell are truly integrated as one to give the best performance by keeping it firmly rooted on the head, even when fully inverted. Gives added security and protection when working at height, in high winds, or when there is a high degree of activity, such as during motorway maintenance.

# OPTIONS

Black (AJA160-001-100)

Blue (AJA160-000-500)

Grey (AJA160-000-400)

White (AJA160-000-100)

Yellow (AJA160-000-200)

# SAFETY STANDARDS

EN 397 • EN 50365







Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com







#### **SPECIFICATIONS**



Peak Mid



Lateral Deformation

Yes



Resistance to Molten Metals and Hot Solids Helmets (optional)

Yes



Minimum Temperature

-40°C



Recyclable

Yes



Depth Adjustment 3D Harness



Universal Accessories Slot

Yes



Integrated Eyewear

Optional



ID card holder

Optional



Optional 2 point chinstrap (EN397 & EN 812 compliant)

Optional



JSPCheck

Yes



Size 53-64cm



Impact Resistance

50 Joules



EN 50365 ELECTRICAL INSULATION 1000V



Maximum Temperature

+50°C



ABS Shell





Textile Harness



Slip Ratchet

Slip



Ventilation

No



Reflective Option

Optional



**BSI Kitemark** 

Yes



Optional 4 point chinstrap (EN397 Compliant)

Optional



**Product Weight** 

328g

#### **FEATURES**



#### **Supreme Comfort**

A 6-point textile cradle harness system & Chamlon  $^{\text{TM}}$  cotton sweatband offer unrivalled comfort.



#### Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. Available with either the Revolution® wheel ratchet or the OneTouch™ slip ratchet.



#### **Accessories**

A universal attachment slot enables firm fitting of a range of Surefit™ safety visors, and ear defenders. EVOSpec® Integrated eyewear is also available.



#### 3D Adjustment

The textile harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



#### CR2™ Reflective

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility / reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



#### JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.

### **APPLICATIONS**

General guidance only and should not be considered a substitute for a full risk assessment





JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com







Aerospace	Agricultural
Airports	Construction and Infrastructure
Facilities Management	Law Enforcement
Manufacturing	Maritime
Mining, Aggregates and Quarrying	Oil, Gas and Chemical Companies
Rail and Tunnelling	Renewable, Wind and Solar Energy
Sole Trader	Utilities Contractors
Welding	

# LOGO

✓ Front

✓ Back

Sides

# RANGE



# **VIDEOS**

- www.youtube.com/watch?v=r9zutN49DO8
- www.youtube.com/watch?v=LdxMNctXLbg
- www.youtube.com/watch?v=4iv\_k1SEs4g
- www.youtube.com/watch?v=WXD2v6an1as&t

# DOWNLOADS

Image Pack (ZIP)

doc-invincible-evolite.pdf (PDF)













